

SYNTHETIC OIL COMPATIBILITY WITH SEAL MATERIAL

SEAL MATERIAL	PAO	ESTER	POLYGLYCOL
NEOPRENE	OK	NR	NR
VITON	OK	OK	OK
BUNA-N			
<i>Less than 30% acrylonitrile</i>	OK	NR	NR
<i>30-36% acrylonitrile</i>	OK	OK	OK
<i>Greater than 36% acrylonitrile</i>	OK	OK	OK
CELCON	OK	OK	OK
TEFLON	OK	OK	OK
SILICONE	OK	OK	OK
NYLON	OK	OK	OK
BUTYL RUBBER	OK	OK	OK
ETHYLENE PROPYLENE RUBBER	OK	OK	OK
POLYSTYRENE PLASTICS	OK	NR	NR
PVC PLASTICS	OK	NR	NR
POLYCARBONATE PLASTICS	OK	NR	NR
OIL RESISTANT ALKYD	OK	OK	OK
EPOXY PAINTS	OK	OK	OK
ACRYLIC PAINTS	OK	NR	NR
POLYURETHANE PAINTS	OK	NR	NR
LAQUER PAINTS	OK	NR	NR
PHENOLIC PAINTS	OK	OK	OK
ABS PLASTICS	OK	NR	NR

(NR = NOT RECOMMENDED)