

## **COLD OVEN CHAIN APPLICATION GUIDE**

## WHY USE ChianLUBE Ultimate & OCL REGULAR?

- Easy to Remix and Apply
- Cost effective
- Widely used by U.S. bakeries

## HOW TO APPLY COLD OVEN CHAIN LUBRICANTS

- Shut off all gas burners, pilot lights or any source of ignition.
- Oven temperature must be below 150° F (66° C) before lubricant application.
- Exhaust fans must be running.
- Steam dampers must be open before and during lubrication.
- Ventilation should continue until oven has been reheated to baking temperatures.
- Make sure that container is closed tightly when not in use.
- Store in a safe place.
- Do not dilute lubricant.

Information and recommendations presented in this product sheet is considered reliable, but conditions and methods of use that are beyond our control my modify results and performance. The user assumes the risk and liability for loss, damage or injury arising from the application of good furnished.

07/11



ASBURY GRAPHITE MILLS, INC.

405 Old Main Street • PO Box 144 • Asbury, New Jersey 08802 Phone: 908.537.2155 • Fax: 908.537.2908

www.asbury.com