



# SAFETY DATA SHEET

Issue Date 17-Nov-2015

Revision Date 17-Nov-2015

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** SYN-DIFF 80W/140

### Other means of identification

#### **Product code:**

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Lubricant.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Pan American Equipment, LLC  
2419 South 153rd Street  
Omaha, Nebraska 68144  
Phone: 402-502-1229  
Fax: 402-972-7607

### Emergency telephone number

**Emergency Telephone**

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Sub-category 1B

### Label elements

#### **EMERGENCY OVERVIEW**

#### **Signal word**

Warning

#### **Hazard statements**

Causes serious eye irritation

May cause an allergic skin reaction



<b>Appearance</b> Oil	<b>Physical state</b> Liquid	<b>Odor</b> Slight Sulphurous
<b>Precautionary Statements - Prevention</b>		
Wash face, hands and any exposed skin thoroughly after handling		
Avoid breathing dust/fume/gas/mist/vapors/spray		
Contaminated work clothing should not be allowed out of the workplace		
Wear protective gloves/protective clothing/eye protection/face protection		
<b>Eyes</b> IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing		
If eye irritation persists: Get medical advice/attention		
<b>Skin</b> IF ON SKIN: Wash with plenty of soap and water		
If skin irritation or rash occurs: Get medical advice/attention		
Wash contaminated clothing before reuse		
<b>Precautionary Statements - Disposal</b>		
Dispose of contents/container to an approved waste disposal plant		
<b>Hazards not otherwise classified (HNOC)</b>		
<b>Other information</b>		
• Harmful to aquatic life with long lasting effects		
<b>Unknown Acute Toxicity</b>		
4.75% of the mixture consists of ingredient(s) of unknown toxicity		

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Components	CAS-No	Weight %	Trade Secret
Hydrotreated Distillate, Light Paraffinic	64742-55-8	1-10	*
Petroleum process oil	64742-52-5	1-10	*
Olefin Sulfide	68937-96-2	1-5	*
2,5-bis(n-octylidithio)-1,3,4-thiadiazole	13539-13-4	0.1-0.3	*
Alkenyl imidazoline	27136-73-8	0.1-0.2	*

### 4. FIRST AID MEASURES

#### First aid measures

<b>Eye contact:</b>	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<b>Skin contact:</b>	Wash off immediately with soap and plenty of water. If a person feels unwell or symptoms of skin irritation appear, consult a physician.
<b>Inhalation:</b>	In the case of inhalation of aerosol/mist consult a physician if necessary.
<b>Ingestion:</b>	Do not induce vomiting without medical advice. Drink 1 or 2 glasses of water. Consult a physician if necessary.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media:

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water spray mist or foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

**Specific hazards arising from the chemical**

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire, cool tanks with water spray.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Contaminated surfaces will be extremely slippery. Wear personal protective equipment.

**Environmental precautions**

**Environmental precautions:** Do not flush into surface water or sanitary sewer system.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up:** Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Handling** Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines**

Components	ACGIH TLV	OSHA (TWA mg/m <sup>3</sup> ):	IDLH:
Hydrotreated Distillate, Light Paraffinic - 64742-55-8	5 mg/m <sup>3</sup> (oil mist)	5 mg/m <sup>3</sup> (oil mist)	
Petroleum process oil - 64742-52-5	5 mg/m <sup>3</sup> (oil mist)	5 mg/m <sup>3</sup> (oil mist)	

**Appropriate engineering controls**

**Engineering measures to reduce exposure:** Ensure adequate ventilation, especially in confined areas.

**Individual protection measures, such as personal protective equipment**

**Respiratory protection:** Breathing apparatus needed only when aerosol or mist is formed.

**Hand protection:** Gloves made of plastic or rubber

**Eye protection:** Safety glasses

**Skin and body protection:** Usual safety precautions while handling the product will provide adequate protection against this potential effect

**General Hygiene Considerations** Avoid contact with skin, eyes and clothing

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b> Liquid		<b>Color</b> Clear	
<b>Appearance</b> Oil	<b>Odor</b> Slight Sulphurous		<b>Odor threshold</b> No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	<u>pH</u>	<u>Not applicable</u>
<b>Melting point/freezing point</b>	No information available		<b>Boiling point / boiling range</b>	> 315 °C / 600 °F
<b>Flash point</b>	> 204 °C / 400 °F	Cleveland Open Cup	<b>Evaporation rate</b>	No information available
<b>Flammability (solid, gas)</b>	No information available		<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available		<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	No information available		<b>Vapor density</b>	No information available
<b>Specific Gravity</b>	< 0.9		<b>Water solubility</b>	Insoluble in water
<b>Solubility in other solvents</b>	No information available		<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available		<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	approx. 283 cSt @ 40 °C		<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>		No information available		
<b>Oxidizing properties</b>		No information available		

### Other information

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

Not applicable

### Chemical stability

<b>Stability</b>	Stable under normal conditions
<b><u>Possibility of Hazardous Reactions</u></b>	
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.

### Conditions to avoid

<b>Conditions to avoid</b>	No special storage conditions required
<b><u>Hazardous Decomposition Products</u></b>	

<b>Hazardous Decomposition Products</b>	Thermal decomposition can lead to release of irritating gases and vapors
<b><u>Incompatible materials</u></b>	

Incompatible materials

Oxidising agents

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	Product does not present an acute toxicity hazard based on known or supplied information
<b>Eye contact</b>	Contact with eyes may cause irritation.
<b>Skin contact</b>	Substance does not generally irritate and is only mildly irritating to the skin. May cause sensitization by skin contact.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated Distillate, Light Paraffinic - 64742-55-8	-	-	= 3900 mg/m <sup>3</sup> ( Rat ) 4 h
Olefin Sulfide - 68937-96-2	= 6500 mg/kg ( Rat )	-	-

### Information on toxicological effects

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Sensitization</b>	May cause sensitization by skin contact.
<b>Mutagenic effects:</b>	Did not show mutagenic or teratogenic effects in animal experiments.
<b>Carcinogenicity</b>	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
<b>Reproductive toxicity</b>	This product does not contain any known or suspected reproductive hazards.
<b>STOT - Single Exposure</b>	None under normal use conditions.
<b>STOT - Repeated Exposure</b>	None under normal use conditions.
<b>Aspiration hazard</b>	Not applicable.

#### Numerical measures of toxicity - Product Information

<b>Unknown Acute Toxicity</b>	4.75% of the mixture consists of ingredient(s) of unknown toxicity
<b>The following values are calculated based on chapter 3.1 of the GHS document .</b>	
<b>ATEmix (oral)</b>	6420 mg/kg
<b>ATEmix (dermal)</b>	9051 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	27311 mg/l
<b>ATEmix (inhalation-vapor)</b>	13116 mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful to aquatic life with long lasting effects

4.18% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Hydrotreated Distillate, Light Paraffinic - 64742-55-8	
<b>Algae/aquatic plants</b>	-
<b>Fish</b>	5000: 96 h Oncorhynchus mykiss mg/L LC50
<b>Crustacea</b>	1000: 48 h Daphnia magna mg/L EC50
Petroleum process oil - 64742-52-5	
<b>Algae/aquatic plants</b>	-
<b>Fish</b>	5000: 96 h Oncorhynchus mykiss mg/L LC50
<b>Crustacea</b>	1000: 48 h Daphnia magna mg/L EC50
Olefin Sulfide - 68937-96-2	
<b>Algae/aquatic plants</b>	-
<b>Fish</b>	250 - 500: 96 h Pimephales promelas mg/L LC50 static 1000: 96 h Pimephales promelas mg/L LC50 semi-static
<b>Crustacea</b>	1000: 48 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Mobility**

The product is insoluble and floats on water.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

<b>Disposal of wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated packaging</b>	Do not reuse container.

**14. TRANSPORT INFORMATION**

**DOT** Not Regulated by any means of transportation

**15. REGULATORY INFORMATION****International Inventories**

<b>TSCA:</b>	Listed in TSCA
<b>DSL:</b>	All of the components in this product are listed in DSL
<b>EINECS/ELINCS</b>	This product complies with EINECS/ELINCS
<b>CHINA:</b>	This product complies with China IECSC.
<b>KECL:</b>	This product complies with Korea KECL.
<b>PICCS:</b>	This product complies with Philippines PICCS.
<b>AICS:</b>	All the constituents of this material are listed on the Australian AICS

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**State Regulations (RTK)****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Components	NJRTK:	MARTK:	PARTK:
Hydrotreated Distillate, Light Paraffinic - 64742-55-8	Substance no. 1437 Listed. Substance no. 4004 Listed.	Listed.	Not Listed
Petroleum process oil - 64742-52-5	Substance no. 1437 Listed. Substance no. 4004 Listed.	Not Listed	Not Listed

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION

**Nfpa:**

Health: 1

Flammability: 1

Instability 0

NFPA/HMIS \* for Carc, Muta, Tera, Specific Organ \*

HMIS health rating:

Health: 2

Flammability: 1

Physical hazards 0

Personal protection B

Issue Date 17-Nov-2015

Revision Date 17-Nov-2015

Revision Note

Not applicable

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**