SIL-SYN Food Grade is a 100% Silicone (polydimethylsiloxane), waterwhite, clear lubricant and release agent for food grade applications. It is both odorless and tasteless.

SIL-SYN Food Grade is NSF Registered and H1 *and* 3H designated, meeting FDA 21 for use in applications where incidental or direct contact with food is possible.

SIL-SYN Food Grade is an excellent choice for use in bakeries, meat or poultry processing or other food production facilities for use as both a lubricant and a release agent. Plastic belted conveyors and spiral proofing, cooling or freezing systems are ideal applications for this product. It provides lubrication of the belt and wear strips, as well as preventing sticking of product to surfaces.

Pan American Lubricants products are continually undergoing improvements in their formulation and manufacture. The values indicated in this PDS are typical production values at the time of this writing. Pan American Lubricants reserves the right to alter and update product data and typical values at any time without notice. It is the responsibility of the installer and/or purchaser to determine whether these specifications are adequate and proper for the intended application. For MSDS information visit www.panamlubricants.com or contact Pan American Lubricants.

PRODUCT DATA SHEET

Properties / Characteristics	SYN-SIL Food Grade
ISO Grade	350
Viscosity @25°C, cSt	350
Approximate Molecular Weight	13,700
Flash Point, °F (°C)	637 336
Pour Point, °F (°C)	-57 -49
Surface Tension dynes/cm @ 25°C	21.1
Specific Heat Btu/lb, °F	0.36
NSF Registration H1 & 3H	(#163801)

SIL-SYN Food Grade





Consider as an alternative to Dow Corning XIAMETER® PMX-200 Silicone Fluid, 350 cSt, Food Grade

FG FOOD GRADE