

# SAFETY DATA SHEET

## US



### BLEND-TOOL NFG 32

Version 1.0      Revision Date: 10/18/2021      Date of last issue: -  
Date of first issue: 10/18/2021      Print Date: 09/10/2024

#### SECTION 1. IDENTIFICATION

Product name : BLEND-TOOL NFG 32

##### Manufacturer or supplier's details

Company name of supplier : PAN AMERICAN EQUIPMENT  
2419 S 153rd St  
Omaha, NE 68144-1921  
Telephone : 4025021229  
Telefax :

Emergency telephone number :

##### Recommended use of the chemical and restrictions on use

Recommended use : Lubricating oil  
Restrictions on use : Restricted to professional users.

#### SECTION 2. HAZARDS IDENTIFICATION

##### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

##### GHS label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

##### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Mineral oil.

##### Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	Trade secret ( $\geq 30 - < 60$ )
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	Trade secret ( $\geq 30 - < 60$ )

Actual concentration is withheld as a trade secret

# SAFETY DATA SHEET

## US



### BLEND-TOOL NFG 32

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

#### SECTION 4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No information available.  
None known.
- Notes to physician : No information available.

#### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides
- Further information : Standard procedure for chemical fires.

**BLEND-TOOL NFG 32**

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid inhalation of vapour or mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not ingest. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.

Conditions for safe storage : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

**BLEND-TOOL NFG 32**

Version 1.0      Revision Date: 10/18/2021      Date of last issue: -      Date of first issue: 10/18/2021      Print Date: 09/10/2024

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

**Engineering measures** : none

**Personal protective equipment**

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

**BLEND-TOOL NFG 32**

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

handling.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : colourless

Odour : characteristic

Odour Threshold : No data available

  

pH : Not applicable

  

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point :  $\geq 392$  °F / 200 °C  
Method: open cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure :  $< 0.001$  hPa (68 °F / 20 °C)

Relative vapour density : No data available

Relative density : 0.855 (68 °F / 20 °C)  
Reference substance: Water  
The value is calculated

Bulk density : No data available

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

# SAFETY DATA SHEET

## US



### BLEND-TOOL NFG 32

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : 32 mm<sup>2</sup>/s (104 °F / 40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

**Distillates (petroleum), hydrotreated heavy paraffinic:**

# SAFETY DATA SHEET

## US



### BLEND-TOOL NFG 32

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes
- Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

#### **Distillates (petroleum), hydrotreated light paraffinic:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes
- Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

#### **Skin corrosion/irritation**

##### **Product:**

Remarks : This information is not available.

##### **Components:**

#### **Distillates (petroleum), hydrotreated heavy paraffinic:**

- Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### **Distillates (petroleum), hydrotreated light paraffinic:**

- Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation  
GLP : yes

**BLEND-TOOL NFG 32**

Version 1.0      Revision Date: 10/18/2021      Date of last issue: -      Print Date: 09/10/2024  
Date of first issue: 10/18/2021

**Serious eye damage/eye irritation**

**Product:**

Remarks : This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**Distillates (petroleum), hydrotreated light paraffinic:**

Species : Rabbit  
Result : No eye irritation  
Exposure time : 48 h  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**Respiratory or skin sensitisation**

**Product:**

Remarks : This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

**Distillates (petroleum), hydrotreated light paraffinic:**

Test Type : Buehler Test  
Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : no

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro : Remarks: No data available



**BLEND-TOOL NFG 32**

Version 1.0	Revision Date: 10/18/2021	Date of last issue: - Date of first issue: 10/18/2021	Print Date: 09/10/2024
----------------	------------------------------	--	---------------------------

Genotoxicity in vivo : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated light paraffinic:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

**Carcinogenicity**

**Product:**

Remarks : No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Distillates (petroleum), hydrotreated light paraffinic:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**IARC  
OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

**Distillates (petroleum), hydrotreated light paraffinic:**

**BLEND-TOOL NFG 32**

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Aspiration toxicity**

**Product:**

This information is not available.

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

No aspiration toxicity classification

**Distillates (petroleum), hydrotreated light paraffinic:**

May be fatal if swallowed and enters airways.

**Further information**

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: Harmful to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates :  
Remarks: No data available

Toxicity to algae/aquatic plants :  
Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

**BLEND-TOOL NFG 32**

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

**Distillates (petroleum), hydrotreated light paraffinic:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 31 %  
Exposure time: 28 d

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).

# SAFETY DATA SHEET

## US



### BLEND-TOOL NFG 32

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Partition coefficient: n-octanol/water : log Pow: > 2

##### **Distillates (petroleum), hydrotreated light paraffinic:**

Partition coefficient: n-octanol/water : Pow: > 6  
Remarks: Information given is based on data obtained from similar substances.

#### **Mobility in soil**

##### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

#### **Other adverse effects**

##### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No information on ecology is available.

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic:**

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

##### **Distillates (petroleum), hydrotreated light paraffinic:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

**BLEND-TOOL NFG 32**

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.
  
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

**49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION**

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydrogen sulphide	7783-06-4	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
hydrogen sulphide	7783-06-4	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

# SAFETY DATA SHEET

## US



### BLEND-TOOL NFG 32

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

hydrogen sulphide	7783-06-4	>= 0 - < 0.1 %
-------------------	-----------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

hydrogen sulphide	7783-06-4	>= 0 - < 0.1 %
-------------------	-----------	----------------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

#### US State Regulations

##### Massachusetts Right To Know

hydrogen sulphide	7783-06-4
-------------------	-----------

##### Pennsylvania Right To Know

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8

##### Maine Chemicals of High Concern

Product does not contain any listed chemicals

##### Vermont Chemicals of High Concern

Product does not contain any listed chemicals

##### Washington Chemicals of High Concern

Product does not contain any listed chemicals

##### California List of Hazardous Substances

Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
--	------------

##### California Permissible Exposure Limits for Chemical Contaminants

Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8

**BLEND-TOOL NFG 32**

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION**

**Further information**

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and

# SAFETY DATA SHEET

## US



### BLEND-TOOL NFG 32

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	10/18/2021	Date of first issue: 10/18/2021	09/10/2024

Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 10/18/2021

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.